ORDINANCE NO. 2009-

AN ORDINANCE OF THE VILLAGE OF KEY BISCAYNE, FLORIDA, **AMENDING** SECTION 30-103 "HOTEL RESORT **DISTRICT**;" PROVIDING FOR AMENDMENTS TO THE PURPOSE AND USES; PROVIDING FOR AMENDMENTS TO THE LIST OF PERMITTED, **AND USES**: **PROVIDING** CONDITIONAL, **PROHIBITED AMENDMENTS** TO THE DEVELOPMENT **REGULATIONS:** PROVIDING FOR SUPPLEMENTARY REGULATIONS; PROVIDING FOR AMENDMENTS TO SECTION 30-184 "AMOUNT OF REQUIRED OFF-STREET PARKING" RELATING TO THE REQUIRED OFF-STREET PARKING FOR HOTELS OR MOTELS; PROVIDING FOR SEVERABILITY; PROVIDING FOR CONFLICTS; AND PROVIDING FOR AN EFFECTIVE DATE.

WHEREAS, the Village Council requested that the Zoning Ordinance Review Committee review and analyze the existing Hotel Resort District regulations; and

WHEREAS, the Zoning Ordinance Review Committee held several meetings to discuss the existing Hotel Resort District regulations and developed significant revisions to the District regulations; and

WHEREAS, the Zoning Ordinance Review Committee has recommended that the proposed modifications to the Village's land development regulations be approved; and

WHEREAS, the Village staff recommends approval of the proposed modifications to the Village's regulations and finds that these regulations are consistent with the Village's Comprehensive Plan; and

WHEREAS, the Village Council, sitting as the Local Planning Agency, has reviewed this Ordinance and has recommended approval; and

WHEREAS, the Village Council hereby finds and declares that adoption of this Ordinance is necessary, appropriate, and advances the public interest.

NOW, THEREFORE, IT IS HEREBY ORDAINED BY THE VILLAGE COUNCIL OF THE VILLAGE OF KEY BISCAYNE, FLORIDA, AS FOLLOWS¹:

<u>Section 1</u>. The preceding "Whereas" clauses are ratified and incorporated as the legislative intent of this Ordinance.

<u>Section 2.</u> <u>Amendment to Section 30-103 of the Village Code.</u> Section 30-103 "Hotel Resort District" of the Village Code of Ordinances is hereby amended to read as follows:

Sec. 30-103. Hotel Resort District.

(a) Purpose and Uses.

TABLE INSET:

District Purpose	Main Permitted Uses	Conditional Uses	Accessory Uses	Prohibited Uses
This district is designed to promote the Development of ocean resort Hotels, and Single Family, Townhome, or multiple Family residences in a manner that is consistent with the mass and scale of adjacent properties.	the above referenced uses 7. Uses seaward of the of the Coastal Control Line shall be limited to bath houses, cabanas, outdoor recreational	None	Any Use that is customarily associated with the Main Permitted Uses (See sec. 30-111)	Any Use not listed as a Main Permitted Use, Conditional Use, or Accessory Use (See sec. 30-113) Hotel and Apartment Buildings are prohibited within 120 ft. of the Holiday Colony subdivision.

¹ Coding: <u>underlined</u> words are additions to existing text, struck through words are deletions from existing text, shaded text reflects changes made from First Reading.

area.		area is free of any such structures; and (3) no such individual structure shall exceed 15% of the permitted area.			
-------	--	---	--	--	--

(b) Development Regulations.

TABLE INSET:

<u>Use</u>	Density	<u>Setback</u>	Height And Floor	<u>Lot</u>	Minimum Lot
Single Family	Within 120 ft. of Holiday Colony Subdivision density shall be limited to 1 single family home per 100 ft. of lot width and minimum lot depth of 120 ft. When not located within 120 ft. of the Holiday Colony Subdivision, then as set forth on the approved Site Plan.	See Section 30- 100 (e)	Area Ratio See "Floor Ratio and Height Zone Sketch."	See Section 30-100(b)	Area 12,000 sq. ft.
Townhome	16 Units per acre. Lot dimensions shall be as shown on the approved Site Plan.	See Section 30- 100 (b)	See "Floor Ratio and Height Zone Sketch."	See Section 30-11(b)	As set forth on the approved site plan

Hotel Only	30 Units per acre. No Hotel shall exceed 350 units	Front: 25 ft. + 5 ft. per floor above the first floor but not to exceed 50 ft.	See "Floor Ratio and Height Zone Sketch."	<u>.40</u>	The site shall be subdivided as of the date of this ordinance
		Side: 25 ft. minimum. No portion of the Building may extend beyond a "building"			
		envelop" formed by a prism the base of which is formed by the Lot boundaries and whose height			
		is defined by two base angles of 63 degrees each (see "Building Envelope Sketch").			
		Rear: 25 ft, + 5 ft. per floor above the first floor but not to exceed 50 ft.			
Apartment Building Only	16 Units per acre.	Same as Hotel above	See "Floor Ratio and Height Zone Sketch."	<u>.40</u>	The site shall be subdivided as of the date of this ordinance

Hotel and	12 Apartment	Same	as	Hotel	See "Floor Ratio and	.40.	The site shall
Apartment	Building Units	<u>above</u>			Height Zone		be subdivided
Building	per acre and 30				Sketch." However,		as of the date
(either	Hotel Units per				in zones 3 and 4 on		of this
combined	acre. There shall				the "Floor Ratio and		<u>ordinance</u>
<u>in</u> one	be a minimum of				Height Zone Sketch"		
<u>building</u>	60 Apartment				Height shall not		
or separate	Building Units				exceed 200 feet.		
<u>buildings</u>	and a maximum						
on the					<u>In addition, for</u>		
same site)	<u>Apartment</u>				every additional		
	Building Units.				Apartment Building		
	<u>In addition, there</u>				Unit and Hotel Unit		
	shall be a				above the minimum		
	minimum of 100				amount of Units		
	Hotel Units and				required, the		
	<u>a maximum of</u>				maximum amount of		
	250 Hotel Units.				total Floor Area		
	For each one (1)				permitted shall be		
	<u>Apartment</u>				decreased by the		
	Building Unit				square footage of the		
	<u>above</u> the				additional Unit(s).		
	<u>required</u>						
	<u>minimum</u>						
	number of Units						
	there shall be						
	two and one half						
	(2.5) Hotel						
	<u>Units.</u>						

c. Hotel Bonus Schedule

Any development which exceeds 12 units per acre for an Apartment Building(s) or 30 units for a Hotel Building(s) shall utilize the following schedule:

- 1. No Building(s) in Zone 1 (parking garage below Base Flood Elevation is permitted).
- 2. Dedication of a public park for all land in Zone 1.
- 3. Dedication of a public park(s) in Zones 2-5.
- 4. Dedication of public park(2) in other sites in the Village.
- 5. Separation of Apartment or Hotel Buildings starting

at a distance of 50 ft.

- 6. Enclosed and buffer service area and loading docks.
- 7. Leadership Energy and Environmental Design (LEED certified buildings, silver minimum).
- 8. Streetscape Improvements to Sonesta Drive and East Heather Drive to include the entire right of way on each street.
- 9. Architectural Elements to create fenestration, recessions, materials, cornice lines, and colors to create a more compatible relationship with adjacent structures.
- 10. Building Stepbacks above 100 ft. from 100 to 135 ft. in height step back 10 ft. per floor. Above 135 ft. to 170 ft. an additional 10 ft. per Floor. Above 170 ft. to 200 ft. an additional 10 ft. per floor.
- 11. Unified site plan for property at 301 and 350 Ocean Drive
- 12. Remote parking & bus. The hotel operator will enter into a long term lease arrangement with a land owner outside of the boundary of the Village and agree to require 20% of the employees in the property to either park there and transport them to the hotel or purchase bus passes for 20% to prevent that percentage of workers from driving to work. Any additional percent will be granted a prorate bonus up to another 20% for an additional half a credit.
- 13. Affordable housing- For every apartment unit sold or leased on an income restricted basis to persons or families who have resided in the Village for more than 10 years and are 65 or older with incomes below 140% of Area Median Income 1/10 of a credit will be given to a maximum of ½ credit for up to 5 units of this type. This income and age restriction will be for 20 years.

d. Supplementary Regulations

1. Hotel

- a. <u>Unit Size- Average Hotel unit size shall be based on the Site Plan Review Criteria as set forth in Sec 30-80 and by documentation submitted to justify said determination.</u>
- b. Cooking facilities Cooking Facilities in Hotel Buildings shall be limited to the following: (i.) One Microwave Oven with a maximum size of 2.0 cubic ft.; (ii.) One refrigerator with a maximum size of 5 cubic ft.; and (iii.) Toasters, coffeemakers, and an ice maker.

- c. Common Area Kitchen in Hotel Buildings- The common area kitchen in Hotel Buildings shall be limited to one room per floor with access directly from a hallway or lobby. No kitchen shall have access to a hotel unit. The use of this kitchen is solely limited to the warming and refrigeration of foodstuffs that are prepared in the hotel or brought from an off site location to the hotel. Kitchen equipment, cooking facilities, silverware, supplies, and appliances that are directly related to this purpose are permitted.
- d. Any Unit with a door to a hallway or lobby is determined to be a Unit.

2. Floor Area Ratio

- a. The Floor Area Ratio shall be as provided on the "Floor Area Ratio and Height Zone Sketch." Floor Area that is not used in the Floor Area Ratio calculation in Zones 1, 2, or 5 within the "Floor Area Ratio and Height Zone Sketch" may be applied to Zones 3 or 4; however, the maximum Floor Area Ratio across the entire development site shall not exceed a Floor Area Ratio of 1.88.
- b. <u>Parking garages located below the Base Flood Elevation shall not be included in the Floor Area Ratio calculation. When the parking garage is located above the Base Flood Elevation, it shall be included in the Floor Area Ratio calculation.</u>
- c. <u>If a development contains Hotel and Apartment Units, then the lot area which is</u> counted towards one Use cannot be counted towards another use.
- d. The maximum FAR for a Development is 1.88.
- e. The FAR assigned to Zone 5 shall only be distributed to Zones 3 and 4.
- 3. <u>Determination of Yards</u>. The determination of yards shall be as shown in the "Yard <u>Determination Sketch".</u>
- 4. <u>Dedicated Easement.</u> The Site Plan shall show a dedicated easement from the Erosion Control Line along the two longest side lot lines of the property. The minimum required width of the easement shall be 7.5 ft. The Site Plan Review criteria (Sec. 30-80) shall be used to determine the maximum required width of the easement.

INSERT TRIANGLE SKETCH

INSERT FLOOR ARA RATIO AND HEIGHT SKETCH

YARD DETERMINATION SKETCH

-Density	Maximum- Height	Lot- Coverage-	Minimum Lot Area
Hotel 30 Units per acre No Development shall exceed 350 Hotel Units Apartment Building 16 Units per acre If a Development contains Hotel and Apartment Units, then Lot area, which is counted towards one Use, cannot be counted towards another Use.	150 ft.	-40	The site shall be subdivided as of the date of this ordinance.

TABLE INSET:

	Setback	Floor Area Ratio
Front:	25 ft. + 5 ft. per floor above the first floor but not to exceed 50 ft.	.40, however oceanfront and bayfront Buildings that provide a 7.5 ft. dedicated Easement on each side of the property from the Street to the beach shall use the following:
Side:	25 ft. minimum (however no portion of Building may extend beyond a "building envelope" formed by a prism the base of which is formed by the Lot boundaries and whose height is defined by two base angles of 63 degrees each, * see sketch below). Side Setbacks shall be measured from the dedicated Easement as required in the Floor Area Ratio calculation.	1 Story .40 4 Story 1.00 7 Story 1.60 2 Story .60 5 Story 1.20 8 Story 1.80 3 Story .80 6 Story 1.40 9 Story+ 2.00 The dedicated Easement shall be counted in the Floor Area Ratio calculation. The Easement shall be improved with landscaping and a hard paved surface. The improvements shall require approval by the Building, Zoning, and Planning Director prior to the issuance of a building permit and must be installed prior to the issuance of a certificate of occupancy.
Rear:	25 ft. + 5 ft. per floor above the first floor but not to exceed 50 ft.	

Section 3. Amendment to Section 30-184 of the Village Code. Section 30-184 "Amount of required off-street Parking" of the Village Code of Ordinances is hereby amended to read as follows:

Sec. 30-184. Amount of required off-street Parking.

(a) The required off-street Parking spaces shall be provided and maintained on the basis of the minimum requirements listed in this article.

TABLE INSET:

Use	Required Number of Spaces	Special Conditions Additional Required Spaces
(1) Apartment Building	1.75 per Unit	Developments with more than 10 Units, then 1 additional per 5 Units, marked as guest Parking
***	***	***
(6) Hotel or Motel	4 .75 per Unit. If the parking garage or parking lot is operated as a valet service, then the parking spaces may be shown on the site plan in tandem. The site plan application shall include a valet parking plan.	Accessory Uses 65% of requirement if calculated as a Main Permitted Use
***	***	***

Section 4. Severability. The provisions of this Ordinance are declared to be severable and if any section, sentence, clause or phrase of this Ordinance shall for any reason be held to be invalid or unconstitutional, such decision shall not affect the validity of the remaining sections, sentences, clauses, and phrases of this Ordinance but they shall remain in effect, it being the legislative intent that this Ordinance shall stand notwithstanding the invalidity of any part.

<u>Section 5.</u> <u>Conflicts.</u> All ordinances or parts of ordinances, resolution or parts of resolutions, in conflict herewith, are repealed to the extent of such conflict.

Section 6. Effective Date. This Ordinance shall become effective immediately upon
adoption on second reading.
PASSED AND ADOPTED on first reading this day of, 200
PASSED AND ADOPTED on second reading this day of, 200
MAYOR ROBERT L. VERNON ATTEST:
ATTEST.
CONCLUTA II ALVADEZ CMC VIII ACE CLEDV
CONCHITA H. ALVAREZ, CMC, VILLAGE CLERK
APPROVED AS TO FORM AND LEGAL SUFFICIENCY:
VILLAGE ATTORNEY